



POSTER LIST

P. 1

PRIMA-DROMAMED: identifying new sources of adaptation to heat and drought within Mediterranean maize germplasm

Carlotta Balconi^{a1}, Alessio Torri^{a1}, Rita Redaelli^{a1}, Antonio Troccolia^{a2}, Anna Maria Mastrangelo^{a2}, Mohamed Dhia Eddine Hammami^b, Chahine Karmous^b, Ali Sahri^c, Abdel Khalid Essamadi^d, Rosa Ana Malvar^e, Lorena Álvarez-Iglesias^e, Oula Maafif^f, Arezki Mekliche^f, Chemlal Azzedine^f, Sekip Erdal^g, Gianfranco Mazzinelli^{a1}, Elisabetta Frascaroli^h, Alain Charcossetⁱ, Claude Welckerⁱ, Pedro Revilla^e

a) Centro di ricerca Cerealicoltura e Colture Industriali (CREA) – a1) Sede di Bergamo; a2) Sede di Foggia, Italy;

b) Institut National Agronomique de Tunis, Tunisia;

c) Institut National de la Recherche Agronomique, Morocco;

d) Hassan I University, Morocco;

e) Misión Biológica de Galicia (CSIC), Pontevedra, Spain;

f) École Nationale Supérieure Agronomique, Algeria;

g) Bati Akdeniz Agricultural Research Institute (BATEM), Turkey;

h) Department of Agricultural and Food Sciences (DISTAL) Università di Bologna Bologna, Italy;

i) Institut National de Recherche pour l'Agriculture, l'Alimentation et l'Environnement (INRAE), France

P. 2

Mutants in ZmFdl1 and ZmGl2 genes affect cuticle deposition and Fusarium verticillioides growth on maize silks

Giulia Castorina^(a), Madison Bigelow^(b), Travis Hattery^(b), Massimo Zilio^(a), Stefano Sangiorgio^(a), Elisabetta

Caporali^(c), Marna D. Yandeau-Nelson^(b), Gabriella Consonni^(a)

a) Dipartimento di Scienze Agrarie e Ambientali (DiSAA), Università degli Studi di Milano, Milan, Italy

b) Department of Genetics, Development, and Cell Biology, Iowa State University, Ames, IA

c) Dipartimento di Bioscienze, Università degli Studi di Milano, Milan, Italy

P. 3

Functional analysis of RALF gene family members in maize and their evolution

Xia Chen^a, Liangzi Zhou^a, Lele Wang^a, Oliver Rupp^b, Thomas Dresselhaus^a

a) Cell Biology and Plant Biochemistry, University of Regensburg, Regensburg, Germany

b) Department of Bioinformatics and Systems Biology, University Giessen, Giessen, Germany



P. 4

Boron deficiency leads to lateral root defects in maize

Liuyang Chua, Cay Schäfera, Alexa Broxa, Frank Hochholdingera, Michaela Matthesa

a) INRES - Crop Functional Genomics, University of Bonn, Friedrich-Ebert-Allee 144, 53113 Bonn (Germany)

P.5

Canopy architecture and nitrogen vertical distribution enhance yield performance in maize cultivars from old to new

Panpan Fan^{a,b*}, Niels P.R. Ante^b, Jochem B Evers^b, Yaoyao Li^a, Shaokun Li^a, Bo Ming^a, Ruizhi Xie^a

a) Institute of Crop Sciences, Chinese Academy of Agricultural Sciences/key laboratory of crop physiology and Ecology, Beijing, 100081, China and bCenter for Crop Systems Analysis, Wageningen

University and Research/ Wageningen, 6708PB, The Netherlands

P.6

Characterization of Nrf4-like, a homologue of Non-reduction in female4 (Nrf4), an apomixis candidate gene in maize

Gaillard Marion¹; Chumak Nina¹, Pasquer Frederique¹, Unger-Wallace Erica², Vollbrecht Erik², Grossniklaus Ueli¹

1 Department of Plant and Microbial Biology & Zurich-Basel Plant Science Center, University of Zurich, 8008 Zurich, Switzerland

2Department of Genetics, Development, and Cell Biology, Iowa State University, Ames, Iowa 50011, USA

P.7

Reduction in fertility after moderate heat stress application during silking of maize ears

Wen Gong, Thomas Dresselhaus

Cell Biology and Plant Biochemistry, University of Regensburg, Germany

P. 8

Towards Understanding and Utilizing Environment-Sensitive PhasiRNA-Dependent Male Sterility (EPMS) in Maize

Li-Hsuan Ho^a, Stefanie Dukowic-Schulze^b, Thomas Dresselhaus^a

a) Department of Cell Biology and Plant Biochemistry, University of Regensburg, Universitätsstraße 31, 93053 Regensburg (Germany).

b) Department of Microvascular Biology and Pathobiology, University of Heidelberg, Theodor-Kutzer-Ufer 1-3, 68167 Mannheim, Haus 24, Ebene 4 (Germany).



P. 9

Dissecting Early Maize Embryogenesis through Single-Cell Transcriptomics

Guojing Jiang^a, Thomas Widiez^b and Thomas Dresselhaus^a

a) Cell Biology and Plant Biochemistry, University of Regensburg, Regensburg, Germany.

b) Laboratoire Reproduction et Développement des Plantes, INRAE, University of Lyon, Lyon, France

P. 10

The impact of chilling and its recovery on cell division and expansion depends on the stage of maize leaf development

Cindy M.S. Lainé¹, Hamada AbdElgawad^{1,2}, Gerrit T.S. Beemster¹

1 Laboratory for Integrated Molecular Plant Physiology Research (IMPRES), Department of Biology, Antwerp University, Groenenborgerlaan 171, 2020 Antwerp, Belgium

2 Botany and Microbiology Department, Faculty of Science, Beni-Suef University, Beni-Suef 62511, Egypt

P. 11

Mountain areas as biodiversity hotspot: discovery and characterization of maize landraces in Valle d'Aosta region

Alessandra Lezzi^a, Lorenzo Stagnati^{a,b}, Giovanna Soffritti^a, Alessandra Lanubile^{a,b}, Francesca Madormo^c, Denise Chabloz^c, Marilisa Letey^c, Adriano Marocco^{a,b}, Mauro Bassignana^c, Matteo Busconi^{a,b}

a) Dipartimento di Scienze delle Produzioni Vegetali Sostenibili, Università Cattolica del Sacro Cuore, Via Emilia Parmense 84, 29122 Piacenza.

b) Centro di Ricerca BioDNA, Università Cattolica del Sacro Cuore, Via Emilia Parmense 84, 29122 Piacenza.

c) Institut Agricole Régional – Reg. La Rochère 1/A – 11100 AOSTA (AO) – ITALY

P. 12

Mapping QTL of drought related traits in a dent MAGIC population

Yan-Cheng Lin^a, Claude Urbany^b, Antonina Shlykova^{a,b}, Torsten Pook^{c,d}, Armin Höller^b, Pascal Schopp^b, Milena Ouzunova^b, Thomas Presterl^b, Sebastian Urzinger^a, Manfred Mayer^a, Chris-Carolin Schön^a

a) Plant Breeding, TUM School of Life Sciences, Technical University of Munich, 85354 Freising, Germany.

b) KWS SAAT SE & Co. KGaA, 37574 Einbeck, Germany.

c) University of Goettingen, Center for Integrated Breeding Research, Animal Breeding and Genetics Group, 37075 Goettingen, Germany.

d) Animal Breeding and Genomics, Wageningen University & Research, Wageningen, The Netherlands



P. 13

Can functional-structural plants models contribute to improving maize nitrogen uptake?

Jie Lu^a, Tjeerd Jan Stomph^a, Lixing Yuan^b, Jochem Evers^a

a) Centre for Crop Systems Analysis, Wageningen University & Research, Netherlands.

b) National Academy of Agriculture Green Development, College of Resources and Environmental Science, China Agricultural University, China

P. 14

Genetic variability for root system architecture (RSA) in Italian maize inbred lines

Gianfranco Mazzinelli^a, Francesco Solimei^b, Matteo De Biasi^b, Hans Hartings^a, Chiara Lanzanova^a, Carlotta

Balconi^a, Alessio Torri^a, Alberto Tassinari^b, Silvio Salvi^b, Elisabetta Frascaroli^b

a) CREA-Centro di ricerca Cerealicoltura e Colture Industriali/Research Centre for Cereal and Industrial

Crops, Via Stezzano 24, 24126, Bergamo (Italy)

b) Department of Agricultural and Food Sciences, University of Bologna, viale Giuseppe Fanin 44, 40127, Bologna (Italy).

P. 15

Characterizing heterosis in a set of recombinant intercrosses (RIXs) developed from a multiparental maize population.

Shree Prasad Neupane^a, Lorenzo Stagnati^{b,c*}, Leonardo Caproni^a, Matteo Busconi^{b,c}, Paola Battilani^b, Alessandra Lanubile^{b,c}, Adriano Marocco^{b,c}, Matteo Dell'Acqua^a, Mario Enrico Pè^a

a) Centro di Ricerca di Scienze delle Piante, Scuola Superiore Sant'Anna, Piazza Martiri della Libertà, 33, 56127 Pisa (Italy).

b) Dipartimento di Scienze delle Produzioni Vegetali Sostenibili, Università Cattolica del Sacro Cuore,

Via Emilia Parmense 84, 29122 Piacenza (Italy).

c) Centro di Ricerca BioDNA, Università Cattolica del Sacro Cuore, Via Emilia Parmense 84, 29122 Piacenza (Italy).

P. 16

Characterization of the DCL2-homologous gene in Zea mays L.

Linus Nuppenau, Stefan Scholten

Division of Crop Plant Gene9cs, Department of Crop Sciences, Georg-August-Universität Göttingen, 37075 Göttingen (Germany)



P. 17

Towards the identification of ubiquitinated targets important for meiotic chromosome dynamics in maize

Seiji Ono, Misato Ono, Max van der Heide, Martina Balboni, Arp Schnittger

Department of Developmental Biology, Institute of Plant Science and Microbiology, University of Hamburg, Ohnhorststr. 18, 22609 Hamburg, Germany

P. 18

Maize resistance to Fusarium verticillioides by CRISPR/CAS9 gene editing approach of a WRKY gene and overexpression of a lipoxygenase gene.

Letizia Ottaviani^a, Peter Rogowsky^b, Adriano Marocco^a, Alessandra Lanubile^a

a) Department of Sustainable Crop Production (DI.PRO.VE.S.), Catholic University of the Sacred Heart, Via Emilia Parmense 84, 29122 Piacenza (Italy);

b) Reproduction et Développement des Plantes, Ecole Normale Supérieure de Lyon (ENSL), Allée d'Italie 46, 69364 Lyon Cedex 07 (France).

P. 19

Exploring maize biodiversity and microbiome in local varieties as strategic tools to face abiotic and biotic stresses

Alessandro Passera^a, Giulia Castorina^a, Rita Redaelli^b, Patrizia Zaccheo^a, Laura Crippa^a, Gabriella Consonni^a, Roberto Pilu^a, Paola Casati^a, Carlotta Balconi^b

a) Dipartimento di Scienze Agrarie e Ambientali (DiSAA), Università degli Studi di Milano, Italy

b) CREA-Centro di ricerca Cerealicoltura e Colture Industriali- Sede di Bergamo, Italy

P. 20

Characterization of the Meiotic Cyclin SOLO DANCERS (SDS) in Maize

Óscar Sanz Mora¹, Martina Balboni¹, Reinhold Brettschneider¹, Arp Schnittger¹

1 Institute of Plant Science and Microbiology (IPM), University of Hamburg, Ohnhorststraße 18, 22609, Hamburg, (Germany).



P. 21

Boosting drought tolerance in key cereals in the era of climate change

Vincenzo Rossi^a, Andrea Brandolini^b, Solomon Chanyalew^c, Arnaud Dauriat^d, Primetta Faccioli^e, Jill Farrant^f, Tsanko Gechev^g, Sofie Goormachtig^h, Thomas Hartwigⁱ, Marc Heijde^h, Mara Lai^j, Irene Liverani^k, Sujeeth Neerakkal^l, Hilde Nelissen^h, Macarena Sanz^m, Daniela Scheuermannⁿ, Zerihun Tadele^o, Robert VanBuren^p, Steven Vandenabeele^q

a) Council for Agricultural Research and Economics, Research Centre for Cereal and Industrial Crops, Bergamo, (Italy);

b) Council for Agricultural Research and Economics, Research Centre for Animal Production and Aquaculture, Lodi, (Italy);

c) Ethiopian Institute of Agricultural Research, Debre Zeit, (Ethiopia);

d) Quantis International, Lausanne, Switzerland;

e) Council for Agricultural Research and Economics, Research Centre for Genomics and Bioinformatics, Fiorenzuola, PC, (Italy);

f) Department of Molecular and Cell Biology, University of Cape Town, Cape Town, (South Africa);

g) Center of Plant Systems Biology and Biotechnology, Plovdiv, (Bulgaria);

h) Center for Plant Systems Biology, VIB, Ghent, (Belgium);

i) Heinrich-Heine University, 40225, Dusseldorf, (Germany);

j) Council for Agricultural Research and Economics, Research Centre for Agricultural Policies and Bioeconomy, Rome, (Italy);

k) EU CORE, Turin, (Italy);

l) BioAtlantis, Tralee, Co. Kerry, (Ireland);

m) ID Consortium, Sevilla, (Spain);

n) KWS SAAT SE & Co KGaA, Einbeck, (Germany);

o) Institute of Plant Sciences, University of Bern, Bern, (Switzerland); p) Department of Horticulture, Michigan State University, East Lansing, MI, (USA);

q) Aphea.Bio, Ghent, (Belgium).

P. 22

Live cell imaging reveals dynamics of the class I crossover protein HEI10 during maize meiosis

Max van der Heide^a, Sejiro Ono^a, Martina Balboni^a and Arp Schnittger^a

a) Department of Developmental Biology, University of Hamburg, Institute for plant sciences and microbiology, Hamburg, Germany



P. 23

The Proteomes that Feed the World

Lukas Würstl^{a,b}; Sarah Brajkovic^a; Andrea Piller^a; Sebastian Urzinger^{a,b}; Sophia Hein^a; Paula Andrade Galan^a; Giorgi Tsiklauri^a; Guido Giordano^a; Veronica Ramirez^a; Ezgi Aydin^a; Genc Haljiti^a; Mario Picciania^a; Qussai Abbas^a; Cemil Can Saylana^a; Armin Soleymaninya^a; Jiuyue Pan^a; Corinna Dawid^a; Stephanie Heinzelmeir^a; Claus Schwechheimer^a; Josch Pauling^a; Christina Ludwig^a; Dmitrij Frishman^a; Mathias Wilhelm^a; Caroline Gutjahr^a; Ralph Hückelhoven^a; Viktoriya Avramova^{a,b}; Chris-Carolin Schön^{a,b}; Brigitte Poppenberger^a; Bernhard Küster^a

a) Elite Network of Bavaria, TUM School of Life Sciences, Technical University of Munich, Alte Akademie 8, 85354 Freising (Germany).

b) Chair of Plant Breeding, TUM School of Life Sciences, Technical University of Munich, Liesel-Beckmann-Str. 2, 85354 Freising (Germany)

P. 24 Understanding the Molecular Mechanism of Parthenogenesis in Cereals

Xixi Zheng^a, Maria Flores Tornero^a, Uwe Schwartz^b, Thomas Dresselhaus^a

a) Cell Biology and Plant Biochemistry, University of Regensburg, 93053 Regensburg, Germany

b) Computational Core Unit, University of Regensburg, 93053 Regensburg, Germany